



PRODUCT-DETAILS

333FCV
32A,3P4W,CON,MP



General Information	
Extended Product Type	333FCV
Product ID	7TAA057680R0000
EAN	5414363141273
Catalog Description	32A,3P4W,CON,MP
Long Description	Female Connector - 32 AMP, 380/440V, 50/60Hz, 3P4W, IEC 309-2

Ordering	
EAN	5414363141273
UPC	708917271246
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	120.65 mm

	4.75 in
Package Level 1 Height	95.25 mm 3.75 in
Package Level 1 Depth / Length	215.9 mm 8.5 in
Package Level 2 Units	50 EA
Package Level 2 Width	390.652 mm 15.38 in
Package Level 2 Height	398.526 mm 15.69 in
Package Level 2 Depth / Length	666.75 mm 26.25 in
Package Level 3 Units	2500 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

Additional Information

Brand / Label	Russellstoll
Current Rating	32 A
Effective Date	19980518
Number of Conductors	4
Number of Poles	3P
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Standards	UL e47956, CSA 096445
Voltage Rating	380/440 VA °C

Certificates and Declarations

Data Sheet, Technical Information	333FCV
-----------------------------------	--------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

