



## 12-10-2 External Dimensions

### 3G3AX-EFI41/EFI42


| Model       | Case, enclosure rating | Screw size | Wire size                                                    | Weight [kg] |
|-------------|------------------------|------------|--------------------------------------------------------------|-------------|
| 3G3AX-EFI41 | Plastic, IP00          | M4         | 1.25 mm <sup>2</sup> , 2 mm <sup>2</sup>                     | 0.7         |
| 3G3AX-EFI42 |                        |            | 2 mm <sup>2</sup>                                            | 0.7         |
| 3G3AX-EFI43 |                        | M5         | 2 mm <sup>2</sup> , 3.5 mm <sup>2</sup>                      | 1.0         |
| 3G3AX-EFI44 |                        |            | 5.5 mm <sup>2</sup>                                          | 1.3         |
| 3G3AX-EFI45 |                        |            | 8 mm <sup>2</sup>                                            | 1.4         |
| 3G3AX-EFI46 | Metal, IP00            | M6         | 14 mm <sup>2</sup>                                           | 2.9         |
| 3G3AX-EFI47 |                        |            | 14 mm <sup>2</sup>                                           | 3.0         |
| 3G3AX-EFI48 |                        |            | 22 mm <sup>2</sup>                                           | 3.6         |
| 3G3AX-EFI49 |                        | M8         | 30 mm <sup>2</sup> , 38 mm <sup>2</sup>                      | 4.3         |
| 3G3AX-EFI4A |                        |            | 38 mm <sup>2</sup> , 60 mm <sup>2</sup>                      | 9.0         |
| 3G3AX-EFI4B |                        | M10        | 100 mm <sup>2</sup> or 38 mm <sup>2</sup> , 2 wires parallel | 16.0        |



### 3G3AX-EFI43/EFI44/EFI45




### 3G3AX-EFI46/EFI47/EFI48/EFI49/EFI4A



| Model       | Dimensions [mm] |     |     |     |     |     |     |    |    |                    |             |    |    |
|-------------|-----------------|-----|-----|-----|-----|-----|-----|----|----|--------------------|-------------|----|----|
|             | A               | B   | C   | D   | E   | F   | H   | J  | K  | L                  | M           | N  | P  |
| 3G3AX-EFI46 | 217             | 220 | 185 | 170 | 120 | 90  | 115 | 85 | 20 | R2.75,<br>Length 7 | 5.5<br>dia. | M6 | M4 |
| 3G3AX-EFI47 |                 |     |     |     |     |     |     |    |    |                    |             |    |    |
| 3G3AX-EFI48 |                 |     |     |     |     |     |     |    |    |                    |             |    |    |
| 3G3AX-EFI49 | 254             | 230 | 215 | 200 | 150 | 120 | 115 | 80 | 30 | R3.25,<br>Length 8 | 6.5<br>dia. | M8 | M6 |
| 3G3AX-EFI4A | 314             | 300 | 280 | 260 | 200 | 170 | 130 | 90 | 35 | R3.25,<br>Length 8 | 6.5<br>dia. | M8 | M6 |

## 3G3AX-EFI4B



| Model       | Dimensions [mm] |     |     |     |     |     |   |     |       |     |    |
|-------------|-----------------|-----|-----|-----|-----|-----|---|-----|-------|-----|----|
|             | A               | B   | C   | D   | E   | F   | G | H   | J     | K   | L  |
| 3G3AX-EFI4B | 450             | 430 | 338 | 100 | 190 | 230 | 7 | 180 | (133) | M10 | M8 |

## 12-10-3 Connection Example

