



Neutral conductor/PE terminal, continuous, for floor mounting, Up to 32 A, accessory for main and emergency switching-off switch 3LD2

Model			
product brand name	SENTRON		
product designation	Neutral conductor/PE terminal		
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches		
AWG number as coded connectable conductor cross section			
• minimum	14		
• maximum	8		
type of connectable conductor cross-sections for main contacts			
• finely stranded with core end processing	1x (1.5 ... 16 mm ²)		
• solid or stranded	1x (1.5...10 mm ²)		
General Product Approval		Test Certificates	other



[Confirmation](#)



[Special Test Certificate](#)

[Miscellaneous](#)

other

[Environmental Confirmations](#)

Further information
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9220-2C
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3LD9220-2C
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9220-2C
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



