



SITOR cylindrical fuse link, 14x51 mm, 3 A, aR, Un AC: 660 V

Model		
product brand name		SENTRON
product designation		SITOR cylindrical fuse link
General technical data		
operating class of the fuse link		aR
size of the fuse link		14x51 mm
type of voltage of the operating voltage		AC
operating voltage at AC rated value		660 V
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole		2.5 W
operational current at AC rated value		3 A
Main circuit		
operational current rated value		3 A
Product details		
product component striker		No
Mechanical Design		
mounting position		Any, preferably vertical
net weight		20 g
General Product Approval		Declaration of Conformity



[Confirmation](#)



Declaration of Conformity	other
---------------------------	-------



[Environmental Confirmations](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC1403>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1403>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1403

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



