



LV HRC fuse base Sz. 4A, 1-pole 1250 A, 690 V with flat terminal

Model			
product brand name		SETRON	
product designation		LV HRC fuse system	
design of the thread of the connection screw		M16	
design of the product		LV HRC fuse bases with swivel mechanism	
General technical data			
number of poles		1	
size of fuse system according to EN 60269-1		NH4a	
Supply voltage			
supply voltage			
• at AC rated value		690 V	
• at DC		600 V	
Product details			
product component swivel-in mechanism		Yes	
maximum short-circuit current breaking capacity (Icu)			
• at AC rated value		120 kA	
• at DC rated value		25 kA	
Connections			
tightening torque with screw-type terminals maximum		65 N·m	
type of electrical connection		With swivel device	
• for main current circuit		flat connector	
Mechanical Design			
height		419 mm	
width		116 mm	
depth		217.5 mm	
fastening method		fixed mounting	
fastening method bus-mounting		No	
net weight		5 168 g	
General Product Approval	Test Certificates	other	Environment

[Confirmation](#)

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an

EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NH7520>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NH7520>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NH7520

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/19/2020

