


Link module for screw terminal electrical and mechanical for 3RV2.1/3RV2.2 and 3RT2.2 DC operation or soft starter 3RW3 or sold-state contactor 3RF34 (multi-unit packaging)



General technical data		
Product brand name		SIRIUS
Product designation		link module
Design of the product		actuating voltage contactor: DC
Size of the circuit-breaker		S00, S0
Size of contactor		S0
Installation/ mounting/ dimensions		
Mounting type		screw fixing
Certificates/ approvals		

General Product Approval		Declaration of Conformity		Test Certificates	
				Miscellaneous	Special Test Certificate
CSA	UL		EG-Konf.		

Test Certificates	Shipping Approval				other
Type Test Certificates/Test Report					Confirmation
	ABS	BUREAU VERITAS	PRS	RINA	

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA2921-1B>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA2921-1B>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2921-1B>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA2921-1B&lang=en



last modified:

04/07/2020