

Mechanical connectors Lateral interlock for contactor
3RT202, 3RT232 consists of 2 connectors and 1 anchor
for 1 combination



General technical data

| | | |
|-----------------------|--|---------------------------------|
| Product brand name | | SIRIUS |
| Product designation | | Mounting kit |
| Design of the product | | Reversing contactor assembly S0 |
| Size of contactor | | S0 |

Certificates/approvals

| | | |
|--------------------------|---------------------------|-------------------|
| General Product Approval | Declaration of Conformity | Shipping Approval |
|--------------------------|---------------------------|-------------------|



[Miscellaneous](#)



| | |
|-------------------|-------|
| Shipping Approval | other |
|-------------------|-------|



[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA2922-2H>

Cax online generator




<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA2922-2H>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2922-2H>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA2922-2H&lang=en



last modified:

07/25/2019