



ACTUATOR-/INDICATOR COMPONENT WITH INTEGRATED LED
230V AC LAMP HOLDER SCREW TERMINAL WHITE

Figure similar

Product designation	lampholder
Contact block/ lampholder:	
Mounting type	integrated
Number of lampholders	1
General technical data:	
Product function	
• positive opening	No
Product component	
• diode	Yes
• lamp transformer	No
• Light source	Yes
• series resistor	No
Insulation voltage	
• Rated value	250 V
Type of voltage	
• of the operating voltage	AC
Degree of pollution	class 3
Surge voltage resistance Rated value	4 kV
Protection class IP	
• of the enclosure	IP40
• of the terminal	IP20
Equipment marking	
• acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750	H
• acc. to DIN EN 61346-2	P

• acc. to DIN EN 81346-2	P
Operating voltage 1	
• with AC	
— at 50 Hz Rated value	230 V
— at 60 Hz Rated value	230 V
Supply voltage:	
Type of voltage of the supply voltage	
• of the light source	AC
Supply voltage 1 of the light source with AC	
• at 50 Hz Rated value	230 V
• at 60 Hz Rated value	230 V
Auxiliary circuit:	
Number of NC contacts	
• for auxiliary contacts	0
Number of NO contacts	
• for auxiliary contacts	0
Number of CO contacts	
• for auxiliary contacts	0
Connections/ Terminals:	
Type of electrical connection	screw-type terminals
Type of connectable conductor cross-section	
• for auxiliary contacts	
— solid	2x (1.0 ... 1.5 mm ²)
— solid with core end processing	2x (0.5 ... 0.75 mm ²)
— finely stranded with core end processing	2x (0.5 ... 1.5 mm ²)
• for AWG conductors for auxiliary contacts	2x (18 ... 14)
Tightening torque	
• for auxiliary contacts with screw-type terminals	0.8 N·m
Lamp:	
Type of light source	LED
Color of the light source	white
Ambient conditions:	
Ambient temperature	
• during operation	-25 ... +70 °C
• during storage	-25 ... +80 °C
Installation/ mounting/ dimensions:	
Mounting type	front mounting
Height	36 mm
Width	10 mm
Depth	20 mm

Certificates/ approvals:

General Product Approval	Declaration of Conformity	Test Certificates	other
 CCC	 CSA	 EAC	 EG-Konf.
		Special Test Certificate	Confirmation

other

[Environmental](#)
[Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB34001RE>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SB34001RE>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB34001RE&lang=en





last modified:

28.04.2015