SIEMENS

Data sheet

3SB3500-1AA20



22MM METAL ROUND ACTUATOR: EMERGEN.-STOP MUSHR.PUSHB. 60MM LATCH.W. ROT.-TO-UNLATCH MECH. WITH HOLDER RED !!! Phased-out product !!! SIRIUS ACT 3SU1 is successor Preferred successor type is >>3SU1050-1JB20-0AA0 + 3SU1550-0AA10-0AA0<<

design of the product	Single device round with positive latching in accordance with ISO 13850
Enclosure	
number of command points	1
Actuator	
design of the actuating element	EMERGENCY STOP mushroom pushbutton
principle of operation of the actuating element	latching
product extension optional light source	No
color of the actuating element	red
material of the actuating element	plastic
outer diameter of the actuating element	60 mm
type of unlocking device	rotate-to-unlatch mechanism
number of switching positions	2
Front ring	
product component front ring	No
lolder	
material of the holder	Metal
eneral technical data	
product function	
EMERGENCY OFF function	Yes
EMERGENCY STOP function	Yes
protection class IP	IP67
vibration resistance according to IEC 60068-2-6	20 200 Hz: 5g
operating frequency maximum	1 000 1/h
mechanical service life (operating cycles) typical	300 000
reference code according to IEC 81346-2	S
Substance Prohibitance (Date)	07/01/2006
connections/ Terminals	
tightening torque of the screws in the bracket	1.4 1.6 N·m
afety related data	
B10 value with high demand rate according to SN 31920	100 000
proportion of dangerous failures	
with low demand rate according to SN 31920	20 %
 with high demand rate according to SN 31920 	20 %
failure rate [FIT] with low demand rate according to SN 31920	100 FIT
Ambient conditions	
ambient temperature	
during operation	-25 +70 °C
during storage	-40 +80 °C
environmental category during operation according to IEC 60721	3K6

⁶⁰⁷²¹

Installation/ mounting/ dir	mensions					
fastening method		fror	front mounting			
shape of the installation opening		rou	round			
mounting diameter		22	22 mm			
mounting height		49	49 mm			
installation width			60 mm			
installation depth			29 mm			
Certificates/ approvals						
General Product Appro	val		Test Certificates	Marine / Shipping		
	(UL) JI	EHC	Type Test Certific- ates/Test Report	Llovds Register us	PRS	
Marine / Shipping		other				
RINA	DNV-GL.	<u>Confirmation</u>	<u>Miscellaneous</u>			
Further information Siemens has decided to exit the Russian market (see here).						
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).						
Information on the pack https://support.industry.sig Information- and Downle	emens.com/cs/ww/en/ oadcenter (Catalogs					
https://www.siemens.com Industry Mall (Online or						


Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB3500-1AA20

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB3500-1AA20

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3SB3500-1AA20

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB3500-1AA20&lang=en



last modified:

1/27/2022 🖸