




Illuminated pushbutton, 22mm, round, metal, green, pushbutton, flat, with holder for 3 elements, with holder !!! Phased-out product !!! SIRIUS ACT 3SU1 is successor Preferred successor type is >>3SU1051-0AB40-0AA0 + 3SU1550-0AA10-0AA0<<

design of the product	Single device round
Enclosure	
number of command points	1
Actuator	
design of the actuating element	Illuminated pushbutton
principle of operation of the actuating element	momentary contact type
product extension optional light source	Yes
color of the actuating element	green
material of the actuating element	plastic
shape of the actuating element	Flat pushbutton
outer diameter of the actuating element	28.5 mm
type of unlocking device	without
number of switching positions	2
Front ring	
product component front ring	Yes
design of the front ring	Standard
material of the front ring	metal
color of the front ring	silver
Holder	
material of the holder	Metal
General technical data	
product function	No
• EMERGENCY OFF function	No
• EMERGENCY STOP function	IP67
protection class IP	20 ... 200 Hz: 5g
vibration resistance according to IEC 60068-2-6	1 000 1/h
operating frequency maximum	3 000 000
mechanical service life (switching cycles) typical	S
reference code according to IEC 81346-2	07/01/2006
Substance Prohibitance (Date)	
Connections/ Terminals	
tightening torque of the screws in the bracket	1.4 ... 1.6 N·m
Ambient conditions	
ambient temperature	-25 ... +70 °C
• during operation	-40 ... +80 °C
• during storage	3K6
environmental category during operation according to IEC 60721	
Installation/ mounting/ dimensions	
fastening method	front mounting

shape of the installation opening	round
mounting diameter	22 mm
mounting height	12 mm
installation width	28.5 mm
installation depth	29 mm

Certificates/ approvals

General Product Approval

Marine / Shipping



Marine / Shipping

other



[Confirmation](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB3501-0AA41>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB3501-0AA41>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SB3501-0AA41>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB3501-0AA41&lang=en



last modified:

1/6/2021 