

22MM METAL ROUND INDICATOR: INDICATOR LIGHT  
WITH CONCENTRIC RINGS ILLUMINABLE WITH HOLDER  
YELLOW

### Actuator / signaling device:

Design of the product		Single device round
Design of the operating mechanism		indicator light
External diameter / of the activation element	mm	28
Color / of the activation element		Yellow
Material / of the activation element		plastic
Shape / of the activation element		Concentric rings
Number of switching positions		0
Product component / front ring		No
Product function / EMERGENCY STOP function		No

### General technical details:

Resistance against shock		
<ul style="list-style-type: none"> <li>for devices with incandescent lamp / according to IEC 60068-2-27</li> <li>for devices without incandescent lamp / according to IEC 60068-2-27</li> </ul>		≤ 30g  ≤ 50g
Resistance against vibration / according to IEC 60068-2-6		20 ... 200 Hz: 5g
Product extension / optional / fluorescent materials		Yes
Item designation		
<ul style="list-style-type: none"> <li>according to DIN EN 61346-2</li> <li>according to DIN 40719 extendable after IEC 204-2 / according to IEC 750</li> </ul>		P  H
Tightening torque / of the screws in the bracket / maximum	N·m	1
Ambient temperature		
<ul style="list-style-type: none"> <li>during operating</li> <li>during storage</li> </ul>	°C  °C	-25 ... +70  -40 ... +80
Protection class IP		IP67
climatic class / during the operating phase / according to EN 60721		3K6
Type of mounting		front mounting
Shape / of the installation hole		round
Installation width	mm	28

Mounting diameter	mm	22
Mounting height	mm	11
Mounting depth	mm	29

#### Certificates/approvals:

##### General Product Approval



##### Test Certificates

[Special Test Certificate](#)

##### Shipping Approval



##### other

[Confirmation](#)

[other](#)



#### Further information:

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

##### Cax online generator:


<http://www.siemens.com/cax>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3SB3501-6BA30/all>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3SB3501-6BA30](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SB3501-6BA30)



last change:

Jul 17, 2012