SIEMENS

Data sheet

3SB3801-0AD3



ENCLOSURE FOR 22MM PROGRAM PLASTIC VERSION 1 COMMAND POSITION YELLOW TOP PART WITH PROTECTIVE COLLAR FOR EMERGEN.-STOP !!! Phased-out product !!! SIRIUS ACT 3SU1 is successor Preferred successor type is >>3SU1801-0AA00-0AC2<<

Enclosure	
design of the housing	Empty enclosure for command and signaling devices
shape of the enclosure front	Square
material of the enclosure	plastic
number of command points	1
product component protective collar	Yes
color of the enclosure top part	yellow
delivery state	
• as a kit	No
 pre-wired on strip terminal 	No
fastening method of the enclosure	Vertical / horizontal
Actuator	
product feature	
lockout	No
product extension optional light source	Yes
Front ring	
product component front ring	No
General technical data	
product function	
 positive opening 	No
 EMERGENCY STOP function 	No
product component	
light source	No
 stand/pedestal 	No
protection class IP	IP65
vibration resistance according to IEC 60068-2-6	20 200 Hz: 5g
reference code according to IEC 81346-2	U
Substance Prohibitance (Date)	07/01/2006
Connections/ Terminals	
type of electrical connection on enclosure	Cable routing above, below / left, right, each 1 x M20
Ambient conditions	
ambient temperature	
 during operation 	-25 +70 °C
 during storage 	-40 +80 °C
environmental category during operation according to IEC 60721	3K6
Installation/ mounting/ dimensions	
fastening method of contact blocks, socket, and accessories	Floor mounting / front mounting (1-pole)
height	85 mm
width	85 mm

depth		106 r	nm		
shape of the installa	tion opening	round	1		
mounting diameter		22 m	m		
ccessories					
number of labels		0			
product component	holder for 3 switching eler	ments No			
ertificates/ approvals	5				
General Product Ap	proval			Marine / Shipping	
			EHC	Llovd's Kegister uis	PRS
Marine / Shipping	other				
DNV-GL DWGLCDKA	<u>Confirmation</u>				
urther information					
	d to exit the Russian mark				
	.com/global/en/pressrelease on the renewal of the curre		<u>sian-business</u>		
Please contact your lo		tatus of validity of the EA		nd to import or offer to supply	y these products to ar
Information on the p		0.0/100912975			
	<u>y.siemens.com/cs/ww/en/vie</u> wnloadcenter (Catalogs, B				
https://www.siemens.o	<u>com/ic10</u>				
		alog/product?mlfb=3SR38	01 04 02		
https://mall.industry.si			01-0AD3		
https://mall.industry.si Cax online generato http://support.automat	r tion.siemens.com/WW/CAX	order/default.aspx?lang=		<u>3</u>	
Service&Support (M	r	order/default.aspx?lang= acteristics, FAQs,)		3	

last modified:

1/18/2021 🖸