SIEMENS

Data sheet 3SB3804-2AA3



ENCLOSURE FOR 22MM PROGRAM METAL VERSION 4 COMMAND POSITIONS GRAY TOP PART !!! Phased-out product !!! SIRIUS ACT 3SU1 is successor Preferred successor type is >>3SU1854-0AA00-0AB1<<

Figure similar

riguresiima	
Enclosure	
design of the housing	Empty enclosure for command and signaling devices
shape of the enclosure front	rectangular
material of the enclosure	metal
number of command points	4
product component protective collar	No
color of the enclosure top part	grey
delivery state	
• as a kit	No
pre-wired on strip terminal	No
fastening method of the enclosure	Vertical / horizontal
Actuator	
product feature	
• lockout	No
product extension optional light source	Yes
Front ring	
product component front ring	No
General technical data	
product function	
 positive opening 	No
EMERGENCY STOP function	No
product component	
• light source	No
stand/pedestal	No
protection class IP	IP67
vibration resistance according to IEC 60068-2-6	20 200 Hz: 5g
reference code according to IEC 81346-2	U
Substance Prohibitance (Date)	07/01/2006
Connections/ Terminals	
type of electrical connection on enclosure	Cable routing above, below / left, right, each 1 x M25
Ambient conditions	
ambient temperature	
 during operation 	-25 +70 °C
during storage	-40 +80 °C
environmental category during operation according to IEC 60721	3K6
Installation/ mounting/ dimensions	
fastening method of contact blocks, socket, and accessories	Floor mounting / front mounting (1-pole)
height	194 mm

width	85 mm		
depth	65 mm		
shape of the installation opening	round		
mounting diameter	22 mm		
Accessories			
number of labels	4		
product component holder for 3 switching elements	No		
Certificates/ approvals			
General Product Approval		other	









Confirmation

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB3804-2AA3

Cax online generator


 $\underline{\text{http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en\&mlfb=3SB3804-2AA3}}$


 $Service \& Support \ (Manuals, \ Certificates, \ Characteristics, \ FAQs, ...)$

https://support.industry.siemens.com/cs/ww/en/ps/3SB3804-2AA3

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB3804-2AA3&lang=en





last modified: 1/18/2021

3SB380 Page 3/	