

5148007

https://www.phoenixcontact.com/us/products/5148007

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ink ribbon, for roll printer for printing product groups WMTB HF..., WMS-2 HF..., TMT..., EMT..., EMLF..., PML-..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

### Commercial data

Item number	5148007
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG02
Product key	BG1223
Catalog page	Page 40 (C-3-2019)
GTIN	4046356735834
Weight per piece (including packing)	316 g
Weight per piece (excluding packing)	313.07 g
Customs tariff number	96121010
Country of origin	DE



5148007

https://www.phoenixcontact.com/us/products/5148007

### Technical data

### Product properties

1 Toduct properties	
Product type	Ink ribbon
Scope of delivery	Ink ribbon
Marking	
Identification technology	Thermal transfer
Dimensions	
Width	110 mm
Length	300 m
Length of roll	300 m
Material specifications	
RoHS compliant	yes
Color	black
Material	Polyester

### Environmental and real-life conditions

### Ambient conditions

Recommended storage conditions	5 - 35°C / 30 - 80 % relative humidity. Storage in a cool and dry
	place in the original packaging is recommended.



5148007

https://www.phoenixcontact.com/us/products/5148007

### Classifications

UNSPSC 21.0

### **ECLASS**

19140614
19140614
19140614
EC001694

44103100



5148007

https://www.phoenixcontact.com/us/products/5148007

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



5148007

https://www.phoenixcontact.com/us/products/5148007

### Accessories

### THERMOMARK E.300 D US - Thermal transfer printer

1287033

https://www.phoenixcontact.com/us/products/1287033



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

### THERMOMARK E.300 US - Thermal transfer printer

1287021

https://www.phoenixcontact.com/us/products/1287021



Thermal transfer printer for printing all materials in roll format with a print resolution of 300 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



5148007

https://www.phoenixcontact.com/us/products/5148007

### THERMOMARK E.600 D US - Thermal transfer printer

1287040

https://www.phoenixcontact.com/us/products/1287040



Thermal transfer printer with internal rewinder for printing all materials in roll format with a print resolution of 600 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.

### THERMOMARK E.600 US - Thermal transfer printer

1287029

https://www.phoenixcontact.com/us/products/1287029



Thermal transfer printer for printing all materials in roll format with a print resolution of 600 dpi. Suitable for long-term use in production and for large print volumes, as large rolls can also be processed.



5148007

https://www.phoenixcontact.com/us/products/5148007

### THERMOMARK ROLL 2.0 - Thermal transfer printer

1085260

https://www.phoenixcontact.com/us/products/1085260



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

### THERMOMARK ROLLMASTER 300 - Thermal transfer printer

0804501

https://www.phoenixcontact.com/us/products/0804501



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m



5148007

https://www.phoenixcontact.com/us/products/5148007

#### THERMOMARK ROLLMASTER 600 - Thermal transfer printer

0804663

https://www.phoenixcontact.com/us/products/0804663



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

### THERMOMARK ROLL - Thermal transfer printer

5146477

https://www.phoenixcontact.com/us/products/5146477



Thermal transfer printer, 300 dpi, incl. European power cable, US power cable, and USB cable. DVD with CLIP PROJECT advanced planning and marking software, user manuals in various languages, Windows<sup>®</sup> printer driver, and firmware. German/English user manual in DIN A5 format, EML (20x8)R roll of labels, white, with 1000 labels, and ink ribbon: 50 m



5148007

https://www.phoenixcontact.com/us/products/5148007

### THERMOMARK X1.2 - Thermal transfer printer

5146231

https://www.phoenixcontact.com/us/products/5146231



Thermal transfer printer, weight: 10 kg, length:  $0.446 \, \text{m}$ , width:  $242 \, \text{mm}$ , height:  $274 \, \text{mm}$ , color: gray

### THERMOMARK W2 - Thermal transfer printer

5146147

https://www.phoenixcontact.com/us/products/5146147



Thermal transfer printer for material off the roll, incl. Euro/US power cable, USB cable, and perforation knife. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English.



5148007

https://www.phoenixcontact.com/us/products/5148007

### THERMOMARK S1.1 - Thermal transfer printer

5146257

https://www.phoenixcontact.com/us/products/5146257



Thermal transfer printer, weight: 2 kg, length: 0.25 m, width: 230 mm, height: 170 mm, color: gray

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com