## **SIEMENS**

Data sheet US2:52BP2E5XB



30mm BlackMax, Epoxy Coated Corrosion Resistant Complete Metal Unit Illuminated Push-Pull Operator Full Voltage, 120V AC/DC LED Lamp Mushroom Head Cap Small 1 3/4" (44.5 mm) Metal, Black with Blue Lens 2 Position Maintained, Pull-to-Release UL Listed, CSA Certified NEMA 1,3,3R,4,4X,12,13 & Automotive Standards

Figure similar

design of the product	Actuator round	
Enclosure		
number of command points	1	
delivery state as a kit	No	
Actuator		
product extension optional light source	Yes	
material of the actuating element	metal mushroom head with plastic lens	
type of unlocking device	pull-to-unlatch mechanism	
number of switching positions	2	
Front ring		
product component front ring	Yes	
design of the front ring	standard	
material of the front ring	metal	
color of the front ring	black	
Holder		
material of the holder	Metal	
Contact block/ lampholder		
socket design	BA 9s with LED	
number of lampholders	1	
Display		
number of LED modules	1	
General technical data		
product component		
lamp transformer	No	
<ul><li>lamp transformer</li><li>light source</li></ul>	No Yes	
·		
• light source	Yes	
• light source degree of pollution	Yes	
light source  degree of pollution  type of voltage	Yes 1	
light source  degree of pollution  type of voltage      of the operating voltage	Yes 1 AC/DC	
light source  degree of pollution  type of voltage     of the operating voltage     of the input voltage	Yes 1 AC/DC AC/DC	
Ilight source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal	Yes 1 AC/DC AC/DC 4 kV	
light source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP	Yes 1 AC/DC AC/DC 4 kV IP66	
Ilight source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal	Yes 1 AC/DC AC/DC 4 kV IP66	
light source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal  Supply voltage	Yes 1  AC/DC AC/DC 4 kV IP66 IP20	
light source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal  Supply voltage  type of voltage of the supply voltage of the light source	Yes 1  AC/DC AC/DC 4 kV IP66 IP20	
Ilight source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal  Supply voltage  type of voltage of the supply voltage of the light source  supply voltage of the light source at AC at 60 Hz	Yes 1  AC/DC AC/DC 4 kV IP66 IP20  AC/DC	
Ilight source  degree of pollution  type of voltage     of the operating voltage     of the input voltage  surge voltage resistance rated value  protection class IP     of the terminal  Supply voltage  type of voltage of the supply voltage of the light source  supply voltage of the light source at AC at 60 Hz     rated value	Yes 1  AC/DC AC/DC 4 kV IP66 IP20  AC/DC	

type of electrical connection	screw-type terminals
<ul> <li>of modules and accessories</li> </ul>	Screw-type terminal
tightening torque of the screws in the bracket	20 N·m
tightening torque [lbf·in] with screw-type terminals	8 8 lbf·in
Lamp	
type of light source	LED
color of the light source	blue
Safety related data	
touch protection against electrical shock	finger-safe
Ambient conditions	
ambient temperature	
<ul> <li>during operation</li> </ul>	-35 +70 °C
during storage	-40 +85 °C
Installation/ mounting/ dimensions	
shape of the installation opening	round
Certificates/ approvals	
Further information	

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=US2:52BP2E5XB

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=US2:52BP2E5XB

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/US2:52

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=US2:52BP2E5XB&lang=en

last modified:	5/31/2021
last illouilleu.	5/31/2021