SIEMENS

Data sheet

US2:52PP7A3

	30mm Command/52, Chrome Finish Heavy Duty,Watertight/Oiltight Metal Operator, Round Push-Pull Operator Non-Illuminated Mushroom Head Cap Small 1.73" (44 mm) Metal, Anodized Green 3 Position Pull-Momentary/Push-Maintained UL Listed, CSA Certified NEMA 1,3,3R,4,4X,12,13 & Automotive Standards
design of the product	Actuator round
Enclosure	
number of command points	1
delivery state as a kit	No
Actuator	
material of the actuating element	metal
type of unlocking device	pull-to-unlatch mechanism
number of switching positions	3
Front ring	
product component front ring	Yes
design of the front ring	standard
material of the front ring	metal
color of the front ring	chrome
Holder	
material of the holder	Metal
General technical data	
product component	
light source	No
degree of pollution	1
protection class IP	IP66
Ambient conditions	
ambient temperature	
during operation	-35 +70 °C
during storage	-40 +85 °C
Installation/ mounting/ dimensions	
shape of the installation opening	round
Certificates/ approvals	
Further information	
Siemens has decided to exit the Russian market (see here).	
https://press.siemens.com/global/en/pressrelease/siemens-wind-d Siemens is working on the renewal of the current EAC certific Please contact your local Siemens office on the status of validity o EAC relevant market (other than the sanctioned EAEU member sta Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,) https://www.siemens.com/ic10 Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlft Cax online generator http://support.automation.siemens.com/WW/CAXorder/default.asp Service&Support (Manuals, Certificates, Characteristics, FAQ: https://support.industry.siemens.com/cs/ww/en/ps/US2:52PPTA3 Image database (product images, 2D dimension drawings, 3D http://www.automation.siemens.com/bilddb/cax.de.aspx?mlfb=US	ates. f the EAC certification if you intend to import or offer to supply these products to an ates Russia or Belarus). D=US2:52PP7A3 x?lang=en&mlfb=US2:52PP7A3 s,) models, device circuit diagrams, EPLAN macros,)

last modified:

5/31/2021 🖸