



Connection module 3-phase with cover F R 1.5-16 mm² for 5/10 mm busbars

Model	
product brand name	SENTRON
product designation	Fuse systems
design of the product	distributor components infeed, connection module, 3-phase for 5/10 mm busbars with cover, with screwless connection terminals, 200 mm long, 20 mm wide
AWG number as coded connectable conductor cross section	
• minimum	3
• maximum	600
tightening torque for terminal connection recommended	36 N·m
type of connectable conductor cross-sections for main contacts	
• finely stranded with core end processing	Cu 95 - 300 mm ²
• solid or stranded	Cu 95 - 240 mm ²
type of connectable conductor cross-sections for auxiliary contacts	
• stranded	Cu 95 - 300 mm ²

General Product Approval

Declaration of Conformity

other

[Confirmation](#)



[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Environmental Conformations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)


<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SH3538>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SH3538>



last modified:

7/5/2023 

