


Pin busbar, 16 mm² connection: 12x 1-phase according to UL 489, 480Y/277V for LS 5SJ4...-HG



Model	
product brand name	SENTRON
product designation	Pin busbar
design of the product	16 mm ² , 12x1PH, UL489
General technical data	
phase number	1
cross-section	16 mm ²
Product details	
product feature insulated	Yes
Connections	
type of electrical connection	Pin
Mechanical Design	
width	15 mm
length	205 mm
net weight	109.61 g
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[Miscellaneous](#)



EG-Konf.

other

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3663-1HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3663-1HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3663-1HG

CAX-Online-Generator

