


DELTA switch device insert FM, OFF switch 2-pole 10 A 250V



Model	
product brand name	DELTA
type of installation switch / rotary switch	No
type of light source	Without lighting
type of composition	basic element
design of the operating mechanism	rocker/button
General technical data	
type of switch	switch 2-pole
mounting type	fixing with claw and screw
surface processing	others
material	others
Supply voltage	
operating voltage / rated value	250 V
Protection class	
protection class IP	IP20
Switching capacity	
switching capacity current	10 A

Current	
switching current / for fluorescent lamps	10 A
Main circuit	
operating current / rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• signaling contact	No
• pushbutton switch	No
product feature / halogen-free	Yes
Number	
number of actuating rockers	1
Connections	
type of electrical connection	Plug-in terminal
Mechanical Design	
height	70 mm
mounting type	flush mounted
material / of the enclosure	metal
Certificates	
reference code	
• acc. to DIN EN 61346-2	S
• acc. to DIN EN 81346-2	SF

General Product Approval	Declaration of Conformity	Test Certificates
--------------------------	---------------------------	-------------------



ÖVE



VDE



EG-Konf.

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2112>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2112>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TA2112](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2112)

