



PRODUCT-DETAILS

7428-78
60A,CON,3P4W,AT,600VAC,SC



General Information	
Extended Product Type	7428-78
Product ID	7TAA057130R0008
EAN	5414363146131
Catalog Description	60A,CON,3P4W,AT,600VAC,SC
Long Description	Screw Cover Aluminum Connector, Voltage 600V, Amperage 60A, 3 Poles 4 Wires

Ordering	
EAN	5414363146131
UPC	708917153399
Country of Origin	United States
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	92.202 mm

	3.63 in
Package Level 1 Height	92.202 mm
	3.63 in
Package Level 1 Depth / Length	282.702 mm
	11.13 in
Package Level 2 Units	12 EA
Package Level 2 Width	342.9 mm
	13.5 in
Package Level 2 Height	419.1 mm
	16.5 in
Package Level 2 Depth / Length	330.2 mm
	13 in

Additional Information

Brand / Label	Russellstoll
Current Rating	60 A
Effective Date	19960411
Number of Conductors	4
Number of Poles	3P
Product Name	Cylindrical multicontact connectors
Voltage Rating	600 V

Certificates and Declarations

Data Sheet, Technical Information	7428-78
-----------------------------------	---------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

