



PRODUCT-DETAILS

8304
30A,3P4W,REC,SE,600VAC250VDC



General Information	
Extended Product Type	8304
Product ID	7TAA057520R0012
Catalog Description	30A,3P4W,REC,SE,600VAC250VDC
Long Description	Ever-Lok Female Receptacle Only with Flap Cover for FS, FD FSWS, FDWS and similar conduit fittings. 50 Amp, 250V, 3 Pole 4 Wire

Ordering	
UPC	708917182658
Country of Origin	Mexico
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	152.4 mm 6 in
Package Level 1 Height	133.35 mm 5.25 in

Package Level 1 Depth / Length	304.8 mm 12 in
--------------------------------	-------------------

Additional Information

Application	General Industrial: Lighting Connections, Indoor Welding Stations, Machinery/Tool Connections, Power Distributions Panels, Convenience Power, Battery Charging Equipment
Brand / Label	Russellstoll
Current Rating	30 A
Effective Date	19960411
Material	Heavy gauge steel plated receptacle housing
Number of Conductors	4
Number of Poles	3P
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	DuraTite & Ever-Lok Locking Connections
Special Functions	Automatic Locking, Positive Grounding by means of phosphor-bronze ground straps, Dust Proof

Certificates and Declarations

Data Sheet, Technical Information	8304
-----------------------------------	------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors



Product image
not available