



PRODUCT-DETAILS

8417
60A,PLG,2P3W,HE,480VAC



General Information	
Extended Product Type	8417
Product ID	7TAA057380R0006
Catalog Description	60A,PLG,2P3W,HE,480VAC
Long Description	Heavy Service Ever-Lok 60 Amp. Plug, 2 Pole 3 Wire, 480VAC, 1 inch Conduit Size

Ordering	
UPC	708917197485
Country of Origin	United States
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	0.025 mm 0.001 in
Package Level 1 Height	0.025 mm 0.001 in
Package Level 1 Depth /	0.025 mm

Length 0.001 in

Additional Information

Application	General Industrial: Lighting Connections, Indoor Welding Stations, Machinery/Tool Connections, Power Distributions Panels, Convenience Power, Battery Charging Equipment
Brand / Label	Russellstoll
Current Rating	60 A
Effective Date	19960411
Material	Cast Aluminum
Number of Conductors	3
Number of Poles	2P
Product Name	Cylindrical multicontact connectors
Product Type	DuraTite & Ever-Lok Locking Connections
Special Functions	Molded arc-resisting composition interiors with machined, full-floating, self-aligning contacts.
Voltage Rating	480 V

Certificates and Declarations

Data Sheet, Technical Information	8417
-----------------------------------	------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

