Main





Plug in relay, Type KP, tubular, 1 HP at 277 VAC, 10A resistive at 120 VAC, 11 pin, 3PDT, 3 NO, 3 NC, 110 VDC coil, light

8501KPDR13P14V60

! Discontinued on: Dec 19, 2019

! End-of-service on: Jan 19, 2021

product range	8501K	
product type	Relay	
Relay type	General purpose	
mounting type	Socket	
contact composition	3PDT	
[Uc] control circuit voltage	110 V DC	
pilot light	Indicator light relay energised LED	
manual operator	Without test button	

#### Complementary

horsepower rating	1 hp 277 V AC 0.33 hp 120 V AC	
breaking capacity	3 A 120 V AC inductive control circuit UL 508 1.5 A 240 V AC inductive control circuit UL 508 10 A 277 V AC resistive control circuit UL 508 10 A 30 V DC resistive control circuit UL 508	
maximum switching voltage	300 V AC 30 V DC	
contact material	Silver alloy (AgNi)	
operating time	20 ms - pick-up 20 ms - drop-out	
shape of pins	Tubular	
for use with	8501NR62 8501NR61	

#### **Environment**

ambient temperature range - operational	-4055 °C (-40131 °F)	
product certifications	UL listed UL recognized CSA CE	
Height	2.66 in (67.56 mm)	
Width	1.4 in (35.6 mm)	
Depth	1.4 in (35.6 mm)	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	4



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Reach Free Of Svhc



Rohs Exemption Information


Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

### **Dimensions Drawings**

#### **Approximate Dimensions**




#### 8501KPDR13P14V60 **Product data sheet**

#### Connections and Schema

#### **Connections and Wiring Diagrams**

# 8501KP13 • • •



IEC