Specifications





Plug in relay, Type N, restraining spring, for 8501 relays and 9050JCK timers

8501NH7

Product availability: Stock - Normally stocked in distribution facility

Price*: 10.13 USD

Main

For Use With	8501NR51 8501NR62		
	8501NR62 8501NR52		
	8501NR82		

Complementary

Package Quantity

Ordering and shipping details

1

Category	US10CP221142
Discount Schedule	0CP2
Gtin	785901089827
Returnability	Yes
Country Of Origin	US

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.30 in (0.762 cm)
Package 1 Width	1.30 in (3.302 cm)
Package 1 Length	2.50 in (6.35 cm)
Package 1 Weight	0.32 oz (9.072 g)

Contractual warranty

Warranty

18 months

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
California Proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Product data sheet

Mounting and Clearance

Mounting

