# Product data sheet

Specifications



# Plug in relay, Type N, relay socket, 8 tubular pin, double tier, for 8510KP relays and 9050JCK timers

8501NR52

Product availability: Stock - Normally stocked in distribution facility

#### Price\*: 15.01 USD

#### Main

[In] Rated Current

5 A 600 V AC 16 A 300 V AC

#### Complementary

| · · · · · · · · · · · · · · · · · · |                                     |  |
|-------------------------------------|-------------------------------------|--|
| Mounting Type                       | DIN rail<br>Panel                   |  |
| Electrical Connection               | Double tiered screw clamp terminals |  |
| Package Quantity                    | 1                                   |  |
| Width                               | 1.42 in (36 mm)                     |  |
| Height                              | 3.05 in (77.5 mm)                   |  |
| Depth                               | 1.42 in (36 mm)                     |  |

### Ordering and shipping details

| Category          | US10CP221142 |  |
|-------------------|--------------|--|
| Discount Schedule | 0CP2         |  |
| Gtin              | 785901583851 |  |
| Returnability     | Yes          |  |
| Country Of Origin | CN           |  |

### **Packing Units**

| <b>V</b>                     |                     |
|------------------------------|---------------------|
| Unit Type Of Package 1       | PCE                 |
| Number Of Units In Package 1 | 1                   |
| Package 1 Height             | 1.20 in (3.048 cm)  |
| Package 1 Width              | 1.50 in (3.81 cm)   |
| Package 1 Length             | 3.30 in (8.382 cm)  |
| Package 1 Weight             | 2.24 oz (63.503 g)  |
| Unit Type Of Package 2       | PAL                 |
| Number Of Units In Package 2 | 3300                |
| Package 2 Height             | 40.00 in (101.6 cm) |
| Package 2 Width              | 40.00 in (101.6 cm) |

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 2 Length

48.00 in (121.92 cm)

Package 2 Weight

462.00 lb(US) (209.56 kg)

## **Contractual warranty**

Warranty

18 months

Life Is On Schneider

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

| Reach Regulation          | REACh Declaration  |
|---------------------------|--|
| Eu Rohs Directive         | Pro-active compliance (Product out of EU RoHS legal scope)<br>EU RoHS Declaration  |
| China Rohs Regulation     | China RoHS declaration   |
| Environmental Disclosure  | Product Environmental Profile  |
| Circularity Profile       | No need of specific recycling operations   |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |