

Busbar system, accessories Busbar center-to-center spacing 60 mm Bottom pan
Length 1100 mm with large clearances with large creepage distances according to
UL 508



Model	
product brand name	SETRON
product designation	Base plates
design of the product	Accessories
suitability for use	UL 508
Mechanical Design	
width	1 100 mm
length	1 100 mm
busbar center-to-center spacing	60 mm
net weight	563 g
General Product Approval	



[Confirmation](#)



Test Certificates	Marine / Shipping	other
Miscellaneous Special Test Certificate	 	Miscellaneous Confirmation

Environment

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging


<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1922-2UA01>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8US1922-2UA01>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1922-2UA01
CAx-Online-Generator
<http://www.siemens.com/cax>
Tender specifications
<http://www.siemens.com/specifications>



last modified:

7/6/2021

