



Busbar system, accessories Busbar center-to-center spacing 60 mm Mounting plate for circuit breaker 3VL1+DI, 3VL4 for device adapter 8US1210-4AF00

Model		
product brand name	SENTRON	
product designation	mounting panel	
design of the product	Accessories	
Supply voltage		
operating voltage at AC rated value	690 V	
suitability for use	3VL1+DI, 3VL4 and device adapter 8US1210-4AF00	
Mechanical Design		
busbar center-to-center spacing	60 mm	
net weight	548 g	
General Product Approval		Declaration of Conformity
		Test Certificates

[Confirmation](#)



[Special Test Certificate](#)

Test Certificates	Marine / Shipping	other	Environment
Miscellaneous		Miscellaneous	Confirmation
			Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1927-4AF01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1927-4AF01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1927-4AF01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/6/2021 

