



30mm push button, Type K, nonilluminated momentary, full guard, 6A inductive at 120VAC, 2NO/2NC contacts, NEMA 4, 13

9001KR1UH2

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 138.00 USD

Main

| Range Of Product | Harmony 9001K |
|---------------------------------|-------------------|
| Product Or Component Type | Push-button |
| Device Short Name | К |
| Operator Profile | White projecting |
| | Orange projecting |
| | Black projecting |
| | Red projecting |
| | Green projecting |
| | Yellow projecting |
| | Blue projecting |
| Operator Additional Information | Metal guard |

Complementary

| Bezel Material | Metal |
|--------------------------------|----------------------------|
| Mounting Diamete | 1.18 in (30 mm) |
| Light Source | Without |
| Light Block Supply | Without supply |
| Contacts Type And Composition | 2 C/O |
| [le] Rated Operational Current | 10 A, AC-15 10 A, DC-13 |
| Contact Operation | Standard |
| Device Presentation | Complete product |
| Cap/Operator Or Lens Colour | 7 colours choice |
| Operator Profile | Flush |
| Type Of Operator | Spring return |
| Size | 30 mm |

Environment

| Product Certifications | NEMA CSA LR 25490 class 3211 03 UL listed file E42259 CCN NKCR CE |
|---------------------------|--|
| Nema Degree Of Protection | NEMA 1/2/3/3P/A/6/12/13 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

| Category | US10CS121426 |
|-------------------|--------------|
| Discount Schedule | 0CS1 |
| Gtin | 785901148128 |
| Returnability | No |
| Country Of Origin | MX |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|----------------------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 11.43 in (29.032 cm) |
| Package 1 Width | 4.50 in (11.43 cm) |
| Package 1 Length | 29.03 in (73.742 cm) |
| Package 1 Weight | 5.76 oz (163.293 g) |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| $\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$ | |
|---|--|
| | |

Mercury Free



Rohs Exemption Information

Yes

| Reach Regulation | REACh Declaration |
|---------------------------|---|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| China Rohs Regulation | China RoHS declaration |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |