

# Product data sheet

Specifications



Illuminated push button, Harmony 9001K, metal, mushroom 41mm, red, 30mm, 2 positions, push pull, 24...28V, 1 CO

9001KR9P35RH13

Product availability: Stock - Normally stocked in distribution facility

Price\*: 283.00 USD

## Main

Range Of Product	Harmony 9001K
Product Or Component Type	Illuminated push-button
Device Short Name	K
Type Of Operator	push-pull
Operator Profile	Red mushroom Ø 41 mm
Operator Additional Information	Screw-on plastic

## Complementary

Bezel Material	Metal
Mounting Diameter	1.18 in (30 mm)
Light Source	incandescent
Light Source	Incandescent bulb
Bulb Base	BA 9s
Light Block Supply	Direct
[Us] Rated Supply Voltage	24...28 V AC/DC
Contacts Type And Composition	1 C/O
Connections - Terminals	Screw clamp terminals
Operating Position	Any position
[Ie] Rated Operational Current	10 A, AC-15 10 A, DC-13
Contact Operation	Standard
Device Presentation	Complete product
Cap/Operator Or Lens Colour	Red
[Us] Rated Supply Voltage	24...28 V
Light Block Supply	Full voltage
Operator Profile	Mushroom Ø 41 mm
Type Of Operator	Push-pull
Operator Position Information	2 positions
Size	30 mm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Environment

---

<b>Product Certifications</b>	CSA LR 25490 class 3211 03 CE UL listed file E42259 CCN NKCR NEMA
-------------------------------	--

---

<b>Nema Degree Of Protection</b>	NEMA 1/2/3/3R/4/6/12/13
----------------------------------	-------------------------

## Ordering and shipping details

---

<b>Category</b>	US10CS121426
-----------------	--------------

---

<b>Discount Schedule</b>	0CS1
--------------------------	------

---

<b>Gtin</b>	785901034278
-------------	--------------

---

<b>Returnability</b>	Yes
----------------------	-----

---

<b>Country Of Origin</b>	US
--------------------------	----

## Packing Units

---

<b>Unit Type Of Package 1</b>	PCE
-------------------------------	-----

---

<b>Number Of Units In Package 1</b>	1
-------------------------------------	---

---

<b>Package 1 Height</b>	2.00 in (5.08 cm)
-------------------------	-------------------

---

<b>Package 1 Width</b>	2.30 in (5.842 cm)
------------------------	--------------------

---

<b>Package 1 Length</b>	4.50 in (11.43 cm)
-------------------------	--------------------

---

<b>Package 1 Weight</b>	6.56 oz (185.973 g)
-------------------------	---------------------

## Contractual warranty

---

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)


[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

 Mercury Free

 Rohs Exemption Information Yes

## Certifications & Standards

**Reach Regulation** [REACH Declaration](#)

**Eu Rohs Directive** Pro-active compliance (Product out of EU RoHS legal scope)

**China Rohs Regulation** [China RoHS declaration](#)

**Environmental Disclosure** [Product Environmental Profile](#)

**Weee** The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

**Circularity Profile** No need of specific recycling operations

**California Proposition 65** WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)