



Illuminated push button, Harmony 9001K, metal, mushroom 41mm, red, 30mm, 2 positions, push pull, LED red, 120V, 1 changeover

9001KR9P38LRRH13

Product availability: Stock - Normally stocked in distribution facility

Price\*: 316.00 USD

#### Main

| Range Of Product                | Harmony 9001K           |  |
|---------------------------------|-------------------------|--|
| Product Or Component Type       | Illuminated push-button |  |
| Device Short Name               | К                       |  |
| Operator Additional Information | Screw-on plastic        |  |

### Complementary

| Bezel Material                 | Metal                      |  |
|--------------------------------|----------------------------|--|
| Mounting Diamete               | 1.18 in (30 mm)            |  |
| Light Source                   | LED                        |  |
| Bulb Base                      | BA 9s                      |  |
| Light Block Supply             | Without supply             |  |
| Contacts Type And Composition  | 1 C/O                      |  |
| [le] Rated Operational Current | 10 A, AC-15<br>10 A, DC-13 |  |
| Contact Operation              | Standard                   |  |
| Device Presentation            | Complete product           |  |
| Cap/Operator Or Lens Colour    | Red                        |  |
| [Us] Rated Supply Voltage      | 120 V                      |  |
| Light Source Colour            | Red                        |  |
| Operator Profile               | Mushroom Ø 41 mm           |  |
| Type Of Operator               | Push-pull                  |  |
| Operator Position Information  | 2 positions                |  |
| Size                           | 30 mm                      |  |

#### **Environment**

| Product Certifications    | NEMA<br>CE<br>CSA LR 25490 class 3211 03<br>UL listed file E42259 CCN NKCR |
|---------------------------|--|
| Nema Degree Of Protection | NEMΔ 1/2/3/3R/Δ/6/12/13  |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Ordering and shipping details

| Category          | US10CS121426 |  |
|-------------------|--------------|--|
| Discount Schedule | 0CS1         |  |
| Gtin              | 785901034285 |  |
| Returnability     | Yes          |  |
| Country Of Origin | US           |  |

# **Packing Units**

| Unit Type Of Package 1       | PCE               |
|------------------------------|-------------------|
| Number Of Units In Package 1 | 1                 |
| Package 1 Height             | 1.89 in (4.8 cm)  |
| Package 1 Width              | 2.52 in (6.4 cm)  |
| Package 1 Length             | 4.49 in (11.4 cm) |
| Package 1 Weight             | 6.72 oz (190.5 g) |

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

| Mercury |
|---------|
|         |

Rohs Exemption Information

Free

Yes

| Reach Regulation          | REACh Declaration   |
|---------------------------|---|
| Eu Rohs Directive         | Pro-active compliance (Product out of EU RoHS legal scope)  |
| China Rohs Regulation     | China RoHS declaration  |
| Weee                      | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.  |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |