



# 30MM KEY SELECTOR SWITCH 2-POSITION

9001KS34K1

EAN Code: 3389118039803

## Main

Range Of Product	Harmony 9001K	
Product Or Component Type	Head for key selector switch	
Device Short Name	К	
Type Of Operator	spring return	
Operator Profile	Black key operated knob	

## Complementary

Bezel Material	Metal
Mounting Diameter	30 mm
Operator Position Information	2 positions
Key Number	E10
Key Withdrawal Position	Left
Contacts Type And Composition	Without contact block
Device Presentation	Basic element
Operator Profile	Key switch
Type Of Operator	Spring return
Size	30 mm
Return	Right to left
Cam Profile	4

#### **Environment**

Nema Degree Of Protection	NEMA 1/2/3/3R/4/6/12/13
Product Certifications	UL listed file E42259 CCN NKCR CE CSA LR24590 class 3211 03

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.588 cm
Package 1 Width	4.826 cm
Package 1 Length	9.144 cm
Package 1 Weight	195.045 g

## **Contractual warranty**

Warranty

18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
<b>Environmental Disclosure</b>	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations