Product datasheet

Specifications





() Discontinued

PUSH-TEST PILOT LIGHT(GLASS COLOR CAP)

9001KT1R31

Discontinued on: 9 Feb 2023

EAN Code: 3389118039278

Main

Range Of Product	Harmony 9001K	
Product Or Component Type	Push-to-test pilot light	
Device Short Name	К	

Complementary

complementary		
Bezel Material	Metal	
Mounting Diameter	30 mm	
Lens Type	Fresnel plastic	
Cap/Operator Or Lens Colour	Red	
Bulb Base	BA 9s	
Light Block Supply	Via transformer 110 V AC 50/60 Hz Via transformer 120 V AC 50/60 Hz	
Shape Of Screw Head	Round	
Light Source	Incandescent bulb	
Operating Mode	Push-to-test	
Lens Type	Fresnel	
[Us] Rated Supply Voltage	110120 V	
Light Block Supply	Via integral transformer	
Contacts Type And Composition	1 C/O	
Supply Frequency	5060 Hz	
Lens Material	Polycarbonate	
Size	30 mm	

Environment

Product Certifications	UL listed file E42259 CCN NKCR CE CSA LR25490 class 3211 03
Nema Degree Of Protection	NEMA 1/2/3/3R/4/6/12/13

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	5.842 cm
Package 1 Width	11.43 cm
Package 1 Length	5.08 cm
Package 1 Weight	263.084 g

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations Circularity Profile