



Push-to-test pilot light head, Harmony 9001K, metal, without cap, 30mm, 120V

9001KT38

EAN Code: 3389118039148

! Discontinued

Main

Range of product	Harmony 9001K
Product or component type	Head for push-to-test pilot light
Device short name	K

Complementary

Bezel material	Metal
Mounting diameter	30 mm
Cap/operator or lens colour	Without cap
Bulb base	BA 9s
Light block supply	Full voltage 120 V
Shape of screw head	Round
Light source	Incandescent bulb
Operating mode	Push-to-test
[Us] rated supply voltage	120 V
Light block supply	Full voltage or resistor
Contacts type and composition	1 C/O
Size	30 mm

Environment

Product certifications	UL listed file E42259 CCN NKCR CSA LR25490 class 3211 03 CE
NEMA degree of protection	NEMA 1/2/3/3R/4/6/12/13

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.826 cm
Package 1 Width	5.842 cm
Package 1 Length	11.43 cm
Package 1 Weight	176.901 g

Contractual warranty

Warranty

18 months

16 Jul 2024

Sustainability

Weee

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Yes
REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope)
China RoHS declaration

collection and never end up in rubbish bins

The product must be disposed on European Union markets following specific waste