



PRODUCT-DETAILS

9C53U2

50A,CON,2P3W,DG,U2,250V



General Information

Extended Product Type	9C53U2
Product ID	7TAA057190R0002
Catalog Description	50A,CON,2P3W,DG,U2,250V
Long Description	DuraGard Female Connector, 50 Amp, 2 Pole 3 Wire, 250 Volts

Ordering

UPC	708917265368
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm 2.5 in
Package Level 1 Height	63.5 mm 2.5 in

Package Level 1 Depth / Length	190.5 mm 7.5 in
Package Level 2 Units	50 EA
Package Level 2 Width	330.2 mm 13 in
Package Level 2 Height	406.4 mm 16 in
Package Level 2 Depth / Length	330.2 mm 13 in
Package Level 3 Units	450 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Effective Date	19970924
Material	DuraV
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Standards	UL e2630

Certificates and Declarations

Data Sheet, Technical Information	9C53U2
-----------------------------------	--------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121406
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

