



PRODUCT-DETAILS

9C54U2T

50A,CON,3P4W,DG,U2,3P250V,TUV



General Information	
Extended Product Type	9C54U2T
Product ID	7TAA057190R0004
EAN	5415022252590
Catalog Description	50A,CON,3P4W,DG,U2,3P250V,TUV
Long Description	DuraGard 50 Amp Female Connector, 30 250V, TUV

Ordering	
EAN	5415022252590
UPC	708917302582
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm

	2.5 in
Package Level 1 Height	63.5 mm 2.5 in
Package Level 1 Depth / Length	190.5 mm 7.5 in
Package Level 2 Units	50 EA
Package Level 2 Width	330.2 mm 13 in
Package Level 2 Height	406.4 mm 16 in
Package Level 2 Depth / Length	330.2 mm 13 in
Package Level 3 Units	450 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Current Rating	50 A
Effective Date	20001107
Material	DuraV
Number of Conductors	4
Number of Poles	3P
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Voltage Rating	250 V

Certificates and Declarations

Data Sheet, Technical Information	9C54U2T
-----------------------------------	---------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

