



PRODUCT-DETAILS

9P24U2
20A,PLG,3P4W,DG,U2,3P250V



General Information	
Extended Product Type	9P24U2
Product ID	7TAA057210R0109
Catalog Description	20A,PLG,3P4W,DG,U2,3P250V
Long Description	DuraGard 20 Amp, 30 250V Male Plug

Ordering	
UPC	708917169369
Country of Origin	United States
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm 2.5 in
Package Level 1 Height	63.5 mm 2.5 in

Package Level 1 Depth / Length	190.5 mm 7.5 in
Package Level 2 Units	10 EA
Package Level 2 Width	0.025 mm 0.001 in
Package Level 2 Height	0.025 mm 0.001 in
Package Level 2 Depth / Length	0.025 mm 0.001 in

Additional Information

Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Effective Date	19960507
Material	DuraV
Product Name	Cylindrical multicontact connectors
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."

Certificates and Declarations

Data Sheet, Technical Information	9P24U2
-----------------------------------	--------

External Classifications and Standards

ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121402
IDEA Granular Category Code (IGCC)	4526 >> Electrical plugs

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

