9P33U0 1/3



PRODUCT-DETAILS

9P33U0

30A,PLG,2P3W,U0,600V



General Information	
Extended Product Type	9P33U0
Product ID	7TAA057200R0011
EAN	5415022252538
Catalog Description	30A,PLG,2P3W,U0,600V
Long Description	DuraGard Male Plug, 30 Amp, 2 Pole 3 Wire, 600VAC/250VDC

Ordering	
EAN	5415022252538
UPC	708917181637
Country of Origin	United States
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm

9P33U0 2/3

	2.5 in
Package Level 1 Height	63.5 mm
	2.5 in
Package Level 1 Depth /	190.5 mm
Length	7.5 in
Package Level 2 Units	50 EA
Package Level 2 Width	330.2 mm
	13 in
Package Level 2 Height	406.4 mm
	16 in
Package Level 2 Depth /	330.2 mm
Length	13 in
Package Level 3 Units	450 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information	
Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Effective Date	19960411
Material	DuraV
Product Name	Cylindrical multicontact connectors
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."

Certificates and Declarations		
Data Sheet, Technical	9P33U0	
Information		

External Classifications and Standards	
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121402
IDEA Granular Category Code (IGCC)	4526 >> Electrical plugs

9P33U0 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$

