9P53U2 1/3



PRODUCT-DETAILS

## 9P53U2

## 50A,PLG,2P3W,DG,U2,250V



General Information	
Extended Product Type	9P53U2
Product ID	7TAA057190R0008
EAN	5414363146988
Catalog Description	50A,PLG,2P3W,DG,U2,250V
Long Description	DuraGard 50 Amp 250V Male Plug

Ordering	
EAN	5414363146988
UPC	708917160694
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Width	63.5 mm

9P53U2 2/3

	2.5 in
Package Level 1 Height	63.5 mm
	2.5 in
Package Level 1 Depth /	190.5 mm
Length	7.5 in
Package Level 2 Units	50 EA
Package Level 2 Width	342.9 mm
	13.5 in
Package Level 2 Height	419.1 mm
	16.5 in
Package Level 2 Depth /	330.2 mm
Length	13 in
Package Level 3 Units	450 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information	
Application	For use where electrical connections need protection from water and/or dust entrance to the contacts or the wiring compartment.
Brand / Label	Russellstoll
Effective Date	19960411
Material	DuraV
Product Name	ELECTRICAL APPARATUS FOR SWITCHING OR PROTECTING ELECTRICAL CIRCUITS, OR FOR MAKING CONNECTION TO/ IN ELECTRICAL CIRCUIT
Product Type	DuraGard Waterproof Connections
Special Functions	Not just "watertight", Waterproof for washdown duty (DurORing Sealing) that eliminates the need for costly "weather boots" or "adapters."
Standards	UL e2630

Certificates and Declarations	
Data Sheet, Technical	9P53U2
Information	

External Classifications and Standards	
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121402
IDEA Granular Category Code (IGCC)	4526 >> Electrical plugs

9P53U2 3/3

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Pin\ \&\ Sleeve\ Connectors$ 

