



PRODUCT-DETAILS

9T10A1002
- 3A,30kVA,480-208Y,150C,N2,K1,DOE



General Information	
Global Commercial Alias	9T10A1002
Extended Product Type	9T10A1002
Product ID	1TQX238721A0100
EAN	783173904381
Catalog Description	- 3A,30kVA,480-208Y,150C,N2,K1,DOE
Long Description	ABB Low-Voltage General Purpose Dry-Type transformers are built to last more than 20 years and are UL Listed. Our Type QL & QF transformers meet DOE 2016 efficiency standards and are UL Energy Verified as energy efficient. They are available with aluminum or copper windings and in all three temperature rise ratings. Quiet Performance-Core and coil assemblies are mounted on rubber isolation pads to reduce noise-Single-piece front/back is easily removable for installation and service. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical	
Suitable for Isolation	Yes
Primary Voltage	480 V AC
Secondary Voltage	208Y/120 V AC
Primary Rated Impulse	10 kV

Withstand Voltage	
Frequency (f)	60 Hz
Apparent Power Output	30 kV·A
Power Loss	78.7 W
Connection	Delta Primary
Configuration	Wye Secondary
Number of Phases	3
Insulation Class	220 °C, Class R
Primary Taps	-4,+2 2.5%
Surge Suppression	
Not Included	
Accessory Type	Rain Shield kit, Wall Mount Kit, Lug Kit
Transformer Type	General Purpose
Housing Material	Painted Steel
Material of Conductor	Aluminum
Accessories Available	Yes
Color	ANSI 61 Gray
Product Frame Size	UY72A
Temperature Rise	150 °C

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Temperature	40 °C
Degree of Protection	Housing IP20

Technical UL/CSA

Enclosure Type UL/CSA	2
Type of Low Voltage Distribution System UL/CSA	Wye

Dimensions

Product Net Width	26.2 in 665.5 mm
Product Net Height	34.7 in 881.4 mm
Product Net Depth / Length	18.4 in 467.4 mm
Product Net Weight	297 lb 134.8 kg
Dimension Diagram	303B111GEUYP72A

Ordering

Package Level 1 Units	pallet (lift) 1 piece
Package Level 1 Gross Weight	344 lb 156.1 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107991A2142
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	1TQC1935E0001
-----------------------------------	---------------

External Classifications and Standards

ETIM 8	EC004582 - Low voltage dry type transformer
ETIM 9	EC004582 - Low voltage dry type transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121001
IDEA Granular Category Code (IGCC)	4124 >> Distribution power transformers
Object Classification Code	TA

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → LV Dry Type Transformers → Large Power Transformers

