



PRODUCT-DETAILS

# 9T10A1002G31

## Low Voltage Dry Type Transformer-LPT



| General Information     |  |
|-------------------------|--|
| Global Commercial Alias | 9T10A1002G31   |
| Extended Product Type   | 9T10A1002G31   |
| Product ID              | 1TQX238521A0100  |
| EAN                     | 78317390441  |
| Catalog Description     | Low Voltage Dry Type Transformer-LPT   |
| Long Description        | Our Type QL transformers meet DOE-2016 efficiency standards. They are available in aluminum and copper and in all three temperature rise ratings. QL Transformers utilize a UL recognized 220°C insulation system and are UL Listed. |

| Technical             |                 |
|-----------------------|-----------------|
| Number of Phases      | 3               |
| Transformer Type      | General Purpose |
| Housing Material      | Painted Steel   |
| Material of Conductor | Aluminum        |

### Material Compliance

|   |  |
|---|--|
| RoHS Status                                 | No declaration needed  |
| REACH Information                           | No data - If REACH inform is not yet available for a certain product |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

Dimensions

|                            |                     |
|----------------------------|---------------------|
| Product Net Width          | 26.2 in<br>665.5 mm |
| Product Net Height         | 34.7 in<br>881.4 mm |
| Product Net Depth / Length | 18.4 in<br>467.4 mm |
| Product Net Weight         | 330 lb<br>149.7 kg  |
| Dimension Diagram          | 303B111GEUXP72A     |

Ordering

|                              |                    |
|------------------------------|--------------------|
| Package Level 1 Units        | case 1 piece       |
| Package Level 1 Gross Weight | 377 lb<br>171.1 kg |

Certificates and Declarations

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
|--------------------------------|-----------------------|

Installation

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 9AKK107991A2142 |
|--------------------------|-----------------|

Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107680A9377 |
|-----------------------------------|-----------------|

External Classifications and Standards

|                                    |   |
|------------------------------------|---|
| ETIM 8                             | EC002485 - Three-phase control transformer  |
| ETIM 9                             | EC002485 - Three-phase control transformer  |
| WEEE Category                      | Product Not in WEEE Scope   |
| UNSPSC                             | 39121029  |
| eClass                             | V11.0 : 27031301  |
| IDEA Granular Category Code (IGCC) | 4179 >> Three Phase Low Sound & Noise Isolation Dry Type Transformers<br>600V Or Less |

---

## Categories

---

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → LV Dry Type Transformers → Large Power Transformers

