



PRODUCT-DETAILS

9T10A1003G31

Low Voltage Dry Type Transformer-LPT



General Information	
Global Commercial Alias	9T10A1003G31
Extended Product Type	9T10A1003G31
Product ID	1TQX242521A0100
EAN	78317390446
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	Our Type QL transformers meet DOE-2016 efficiency standards. They are available in aluminum and copper and in all three temperature rise ratings. QL Transformers utilize a UL recognized 220°C insulation system and are UL Listed.

Technical	
Number of Phases	3
Transformer Type	General Purpose
Housing Material	Painted Steel
Material of Conductor	Aluminum

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	26.2 in 665.5 mm
Product Net Height	34.7 in 881.4 mm
Product Net Depth / Length	18.4 in 467.4 mm
Product Net Weight	444 lb 201.4 kg
Dimension Diagram	303B111GEUXP73A

Ordering

Package Level 1 Units	pack 1 piece
Package Level 1 Gross Weight	491 lb 222.8 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107991A2142
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9377
-----------------------------------	-----------------

External Classifications and Standards

ETIM 8	EC002485 - Three-phase control transformer
ETIM 9	EC002485 - Three-phase control transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121029
eClass	V11.0 : 27031301
IDEA Granular Category Code (IGCC)	4179 >> Three Phase Low Sound & Noise Isolation Dry Type Transformers 600V Or Less

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → LV Dry Type Transformers → Large Power Transformers

