

PRODUCT-DETAILS

9T21B1007G02

- 1A,5kVA,480-120/240,115C,3R,60Hz,QMS



| General Information | |
|-------------------------|--|
| Global Commercial Alias | 9T21B1007G02 |
| Extended Product Type | 9T21B1007G02 |
| Product ID | 1TQY127532D1001 |
| EAN | 78317300416 |
| Catalog Description | - 1A,5kVA,480-120/240,115C,3R,60Hz,QMS |
| Long Description | ABB's Type QMS small power transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. QMS transformer enclosures feature built in wall mount tabs. The Type QMS transformers are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE- 693-2005 and IBC-2021 and CBC 2022. |

| Technical | |
|-------------------|--------------|
| Primary Voltage | 480 V AC |
| Secondary Voltage | 120/240 V AC |
| Frequency (f) | 60 Hz |

© 2025 ABB. All rights reserved.

Subject to change without notice

9T21B1007G02

| Apparent Power Output | 5 kV·A |
|-----------------------|----------------------------|
| Connection | Single Phase, Single Phase |
| Configuration | |
| Insulation Class | 180 °C, Class H |
| Enclosure Type NEMA | Type3R |
| Transformer Type | Encapsulated |
| Housing Material | Painted Steel |
| Material of Conductor | Aluminum |
| Color | ANSI 61 Grey |
| Product Frame Size | 16350 |
| Temperature Rise | 115 °C |

| Material Compliance | |
|---|---|
| RoHS Information | 9AKK107991A100 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201 |
| RoHS Date | 20200807 |
| REACH Information | No data - If REACH inform is not yet available for a certain produc |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |
| Environmental | |
| Ambient Temperature | 40 °C |
| Dimensions Product Net Width | 10.5 ir |
| Product Net width | 266.7 mr |
| Product Net Height | 14.38 ir 365.26 mr |
| Product Net Depth / Length | 11 ir 279.4 mr |
| Product Net Weight | 100 lk 45.36 kg |
| Dimension Diagram | 303B923AAP005 |
| Ordering | |
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 103.35 lb 46.88 kg |

| eclaration of | No declaration needed |
|----------------|-----------------------|
| onformity - CE | |
| | |
| • | |
| | |

Instructions and Manuals

© 2025 ABB. All rights reserved.

2025/01/16

Subject to change without notice

No document needed

Popular Downloads

Data Sheet, Technical Information 9AKK107680A9377

| External Classifications and Standards | | |
|--|--|--|
| ETIM 8 | EC002486 - One-phase control transformer | |
| ETIM 9 | EC002486 - One-phase control transformer | |
| WEEE Category | Product Not in WEEE Scope | |
| UNSPSC | 39121027; 4172 | |
| eClass | V11.0 : 27031302 | |
| IDEA Granular Category Code (IGCC) | 4172 >> Encapsulated transformer | |

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Small Power Transformers



© 2025 ABB. All rights reserved.

2025/01/16