9T33C2674 1/4



PRODUCT-DETAILS

## 9T33C2674

# Low Voltage Dry Type Transformer-LPT



General Information	
Global Commercial Alias	9T33C2674
Extended Product Type	9T33C2674
Product ID	1TQX346721N0601
EAN	783173365700
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	Single phase low-voltage dry type transformer for balanced 3-wire 120/240 V secondary voltage system having both NRCan (C802.2) and DOE (10 CFR 431, Subpart K) energy efficiency certification and compliance. UL and cUL listed to UL 1561 and CSA C22.2 No.47.

Technical	
Suitable for Isolation	Yes
Primary Voltage	240 V AC
	480 V AC
Secondary Voltage	120 V AC
	240 V AC
Primary Rated Impulse Withstand Voltage	10 kV

9T33C2674 2/4

Frequency (f)	60 Hz
Apparent Power Output	75 kV-A
Power Loss	206.4 W
Number of Phases	1
Insulation Class	220 °C, Class R
Primary Taps	-4,+2; 2.5%
Surge Suppression	Not Included
Accessory Type	Rain Shield kits, Wall Mount Kits
Transformer Type	General Purpose
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	Yes
Color	ANSI 61 Gray
Product Frame Size	YX174
Temperature Rise	150 °C

## **Material Compliance**

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

#### **Environmental**

Ambient Temperature	40 °C
Degree of Protection	Housing IP20

## Technical UL/CSA

Enclosure Type UL/CSA	2
Type of Low Voltage	Split Phase
Distribution System	
UL/CSA	

#### **Dimensions**

Product Net Width	34.3 in
	871.3 mm
Product Net Height	42.2 in
	1071.9 mm
Product Net Depth /	24 in
Length	609.6 mm
Product Net Weight	750 lb
	340.2 kg
Dimension Diagram	303B409CAP074

## Ordering

Package Level 1 Units	pallet (lift) 1 piece
Package Level 1 Gross	806 lb
Weight	365.6 kg

9T33C2674 3/4

#### **Certificates and Declarations**

Declaration of No declaration needed Conformity - CE

#### Installation

Instructions and 9AKK107991A2142 Manuals

## **Popular Downloads**

Data Sheet, Technical Information	9AKK107992A0116
Building Information	9AKK107992A2899
Modeling – BIM	

#### **External Classifications and Standards**

ETIM 8	EC004582 - Low voltage dry type transformer
ETIM 9	EC004582 - Low voltage dry type transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121029
IDEA Granular Category Code (IGCC)	4177 >> Single Phase Low Sound & Noise Isolation Dry Type Transformers 600V Or Less
Object Classification Code	TA

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Large\ Power\ Transformers$ 

9T33C2674 4/4

