9T51B0105 1/3



PRODUCT-DETAILS

## 9T51B0105

# - 1C,0.15kVA,120x240-12/24,55C,3R,60Hz,QB



General Information	
Global Commercial Alias	9T51B0105
Extended Product Type	9T51B0105
Product ID	1TQY308232B1140
EAN	783173008553
Catalog Description	- 1C,0.15kVA,120x240-12/24,55C,3R,60Hz,QB

Long Description

ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical	
Primary Voltage	120x240 V AC
Secondary Voltage	12/24 V AC
Fraguency (f)	60 Hz

9T51B0105 2/3

Apparent Power Output	0.15 kV·A
Connection Configuration	Single Phase; Single Phase
Number of Phases	1
Insulation Class	105 °C, Class A
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	8175
Temperature Rise	55 °C

## **Material Compliance**

RoHS Information	9AKK107991A1008
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20200807
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template	9AKK108468A3363
(CMRT)	

#### **Environmental**

Ambient Temperature	40 °C
---------------------	-------

#### **Dimensions**

Product Net Width	6.02 in
	152.91 mm
Product Net Height	7.25 in
	184.15 mm
Product Net Depth /	4.25 in
Length	107.95 mm
Product Net Weight	10 lb
	4.54 kg
Dimension Diagram	303B920AAP008

#### Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross	12.89 lb
Weight	5.85 kg

#### **Certificates and Declarations**

Declaration of	No declaration needed
Conformity - CE	

## Installation

9T51B0105 3/3

Instructions and 9AKK107991A2927 Manuals

#### **Popular Downloads**

Data Sheet, Technical 9AKK107992A9343
Information 9AKK107992A9343

External Classifications and Standards	
ETIM 8	EC002486 - One-phase control transformer
ETIM 9	EC002486 - One-phase control transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121025; 4167
eClass	V11.0 : 27031302
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Small\ Power\ Transformers$ 











