9T51B0109 1/3



PRODUCT-DETAILS

# 9T51B0109

# - 1C,0.75kVA,120x240-12/24,100C,3R,BB,QB



General Information	
Global Commercial Alias	9T51B0109
Extended Product Type	9T51B0109
Product ID	1TQY318432A1140
EAN	783173008584
Catalog Description	- 1C,0.75kVA,120x240-12/24,100C,3R,BB,QB

Long Description

ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical	
Primary Voltage	120x240 V AC
Secondary Voltage	12/24 V AC
Frequency (f)	60 Hz

9T51B0109 2/3

Apparent Power Output	0.75 kV·A
Connection	Single Phase; Single Phase
Configuration	
Number of Phases	1
Insulation Class	180 °C, Class H
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	12200
Temperature Rise	100 °C

## **Material Compliance**

RoHS Information	9AKK107991A1008
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20200807
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

#### **Environmental**

Ambient Temperatu	re	40 °C

#### **Dimensions**

Product Net Width	7.76 in
	197.11 mm
Product Net Height	9.5 in
	241.3 mm
Product Net Depth /	5.5 in
Length	139.7 mm
Product Net Weight	25 lb
, and the second	11.34 kg
Dimension Diagram	303B920AAP012

## Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross	26.77 lb
Weight	12.15 kg

### **Certificates and Declarations**

Declaration of	No declaration needed
Conformity - CE	

## Installation

9T51B0109 3/3

Instructions and 9AKK107991A2927 Manuals

### **Popular Downloads**

Data Sheet, Technical 9AKK107992A9343
Information

### **External Classifications and Standards**

ETIM 8	EC002486 - One-phase control transformer
ETIM 9	EC002486 - One-phase control transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121025; 4167
eClass	V11.0 : 27031302
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less

### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Small\ Power\ Transformers$ 









360