

PRODUCT-DETAILS

9T51B0112 -1C,2kVA,120x240-12/24,100C,3R,60Hz,QB



General Information	
Global Commercial Alias	9T51B0112
Extended Product Type	9T51B0112
Product ID	1TQY322432A1140
EAN	783173008614
Catalog Description	- 1C,2kVA,120x240-12/24,100C,3R,60Hz,QB
Long Description	ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring - especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical				
Primary Voltage		120x240 V AC		
Secondary Voltage	12/24 V AC			
Frequency (f)	60 H			
© 2025 ABB. All rights reserved.	2025/01/16	Subject to change		

Subject to change without notice

Apparent Power Output	2 kV·A
Connection	Single Phase; Single Phase
Configuration	
Number of Phases	1
Insulation Class	180 °C, Class H
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	14300
Temperature Rise	100 °C

RoHS Information	9AKK107991A1008
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	2020080
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Temperature	40 °C
Ambient Temperature Dimensions	
Ambient Temperature Dimensions	40 °C 9.26 in 235.21 mm
Ambient Temperature Dimensions Product Net Width	9.26 ir
Ambient Temperature Dimensions Product Net Width Product Net Height	9.26 ir 235.21 mm 11 ir
Ambient Temperature Dimensions Product Net Width Product Net Height Product Net Depth /	9.26 ir 235.21 mm 11 ir 279.4 mm 6.75 ir
	9.26 ir 235.21 mm 11 ir 279.4 mm

Package Level 1 Units	box 1 piece
Package Level 1 Gross	54 lb
Weight	24.5 kg

Certificates and Declarations

Declaration of Conformity - CE

Installation

© 2025 ABB. All rights reserved.

No declaration needed

Popular Downloads

Data Sheet, Technical Information 9AKK107992A9343

9AKK107991A2927

External Classifications and Standards		
ETIM 8	EC002486 - One-phase control transformer	
ETIM 9	EC002486 - One-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121025; 4167	
eClass	V11.0 : 27031302	
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less	

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Small Power Transformers



© 2025 ABB. All rights reserved.