

PRODUCT-DETAILS

9T51B0129 -1C,0.75kVA,120x240-16/32,100C,3R,BB,QB



General Information	
Global Commercial Alias	9T51B0129
Extended Product Type	9T51B0129
Product ID	1TQY318432A1150
EAN	783173008652
Catalog Description	- 1C,0.75kVA,120x240-16/32,100C,3R,BB,QB
Long Description	ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring - especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical				
Primary Voltage	120x240 V AC			
Secondary Voltage	16/32 V AC			
Frequency (f)	60 Hz			
© 2025 ABB. All rights reserved.	2025/01/16	Subject to change		

Subject to change without notice

Apparent Power Output	0.75 kV·A
Connection Configuration	Single Phase; Single Phase
Number of Phases	1
Insulation Class	180 °C, Class H
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	12200
Temperature Rise	100 °C

Material Compliance	
RoHS Information	9AKK107991A100
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	2020080
REACH Information	No data - If REACH inform is not yet available for a certain produc
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
Environmental	
Ambient Temperature	40 °C
Dimensions Product Net Width	7.76 ir
Floduct Net Width	197.11 mr
Product Net Height	9.5 ir 241.3 mr
Product Net Depth / Length	5.5 ir 139.7 mr
Product Net Weight	25 lk 11.34 kg
Dimension Diagram	303B920AAP012
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	26.77 lk 12.15 kg

Certificates and Declarations

Declaration of Conformity - CE

Installation

© 2025 ABB. All rights reserved.

No declaration needed

Popular Downloads

Data Sheet, Technical Information 9AKK107992A9343

9AKK107991A2927

External Classifications and Standards		
ETIM 8	EC002486 - One-phase control transformer	
ETIM 9	EC002486 - One-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121025; 4167	
eClass	V11.0 : 27031302	
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less	

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Small Power Transformers



3605