

PRODUCT-DETAILS

9T51B0210 -1C,1kVA,240x480-24/48,100C,3R,60Hz,QB



General Information	
Global Commercial Alias	9751B0210
Extended Product Type	9T51B0210
Product ID	1TQY319432A1270
EAN	783173036815
Catalog Description	- 1C,1kVA,240x480-24/48,100C,3R,60Hz,QB
Long Description	ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring - especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical		
Primary Voltage		240x480 V AC
Secondary Voltage		24/48 V AC
Frequency (f)		60 Hz
© 2025 ABB. All rights reserved.	2025/01/16	Subject to change without noti

Apparent Power Output	1 kV-A
Connection	Single Phase; Single Phase
Configuration	
Number of Phases	1
Insulation Class	180 °C, Class H
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	12275
Temperature Rise	100 °C

Material Compliance	
RoHS Information	9AKK107991A1008
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	2020080
REACH Information	No data - If REACH inform is not yet available for a certain produc
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Environmentai	
Ambient Temperature	40 °C
Dimensions	
Product Net Width	7.76 in 197.11 mm
Product Net Height	9.5 in
······································	241.3 mm
Product Net Depth /	5.5 ir
Length	139.7 mm
Product Net Weight	25 lb 11.34 kg
Dimension Diagram	303B920AAP012
Ordering	
De alva e a Laval 1 Linita	here the

Package Level 1 Units	box 1 piece
Package Level 1 Gross	26.77 lb
Weight	12.15 kg

Certificates and Declarations

Declaration of Conformity - CE

Installation

© 2025 ABB. All rights reserved.

No declaration needed

Popular Downloads

Data Sheet, Technical Information 9AKK107992A9343

9AKK107991A2927

External Classifications and Standards		
ETIM 8	EC002486 - One-phase control transformer	
ETIM 9	EC002486 - One-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121025; 4167	
eClass	V11.0 : 27031302	
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less	

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Small Power Transformers



3605