9T83B2670G13 1/3



PRODUCT-DETAILS

## 9T83B2670G13

## Low Voltage Dry Type Transformer-LPT



| General Information     |  |
|-------------------------|--|
| Global Commercial Alias | 9T83B2670G13   |
| Extended Product Type   | 9T83B2670G13   |
| Product ID              | 1TQX133522F0600  |
| EAN                     | 783173196977   |
| Catalog Description     | Low Voltage Dry Type Transformer-LPT   |
| Long Description        | ABB Low Voltage Dry Type transformers are built to last and are designed with exclusive features. With easy installation and all of the specifications you trust, it's easy to see why ABB QL dry type transformers are preferred by contractors. They are available with aluminum or copper windings and in all three temperature rise ratings. |

| Technical             |   |
|-----------------------|---|
| Number of Phases      | 1                                       |
| Transformer Type      | Noise Isolation - Shield, Electrostatic |
| Housing Material      | Painted Steel                           |
| Material of Conductor | Aluminum                                |
| Temperature Rise      | 115 °C                                  |

9T83B2670G13 2/3

| Material Compliance                               |  |
|---|--|
| RoHS Status                                       | No declaration needed  |
| REACH Information                                 | No data - If REACH inform is not yet available for a certain product |
| Conflict Minerals<br>Reporting Template<br>(CMRT) | 9AKK108468A3363  |

| Dimensions                    |                     |
|-------------------------------|---------------------|
| Product Net Width             | 23.8 in<br>604.6 mm |
| Product Net Height            | 32.1 in<br>815.4 mm |
| Product Net Depth /<br>Length | 18.4 in<br>467.4 mm |
| Product Net Weight            | 320 lb<br>145.2 kg  |
| Dimension Diagram             | 303B406AAP071       |

| Ordering              |           |
|-----------------------|-----------|
| Package Level 1 Units | case 1 EA |
| Package Level 1 Gross | 362 lb    |
| Weight                | 164.3 kg  |

| Certificates and Declarations |                       |
|-------------------------------|-----------------------|
| Declaration of                | No declaration needed |
| Conformity - CE               |                       |

| Installation     |                 |
|------------------|-----------------|
| Instructions and | 9AKK107991A2142 |
| Manuals          |                 |

| Popular Downloads     |                    |
|-----------------------|--------------------|
| Data Sheet, Technical | No document needed |
| Information           |                    |

| External Classifications and Standards |   |
|--|---|
| ETIM 8                                 | EC004582 - Low voltage dry type transformer |
| ETIM 9                                 | EC004582 - Low voltage dry type transformer |
| WEEE Category                          | Product Not in WEEE Scope                   |
| UNSPSC                                 | 39121001                                    |
| IDEA Granular Category<br>Code (IGCC)  | 4124 >> Distribution power transformers     |

9T83B2670G13 3/3

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Large\ Power\ Transformers$ 







