

# discrete I/O connecting cable - 1 m - for modular base controller

ABFT20E100

Product availability: Stock - Normally stocked in distribution facility

Price\*: 37.80 USD

#### Main

| Accessory / separate part categor     | Connection accessories                      |  |
|---------------------------------------|---|--|
| accessory / separate part type        | Connecting cable                            |  |
| Accessory / separate part designation | Discrete I/O connecting cable               |  |
| Product Compatibility                 | TWDDDO16TK TWDDDO32TK TWDDDI32DK TWDDDI16DK |  |
| Accessory / separate part destination | Modular base controller                     |  |
| Range Compatibility                   | Advantys Telefast ABE7<br>Twido             |  |

## Complementary

| Cable length          | 3.3 ft (1 m)  |  |
|-----------------------|---|--|
| Cable cross section   | 0.0001 in² (0.08 mm²)   |  |
| Electrical connection | 1 connector HE10, 20 ways controller side<br>1 connector HE10, 20 ways Telefast ABE7 side |  |
| AWG Gauge             | AWG 28  |  |
| Width                 | 8.7 in (220 mm)   |  |
| Height                | 0.4 in (10 mm)  |  |
| Depth                 | 8.7 in (220 mm)   |  |
| Net Weight            | 0.18 lb(US) (0.08 kg)   |  |

## Ordering and shipping details

| e ii e            |               |  |
|-------------------|---------------|--|
| Category          | US10CP222375  |  |
| Discount Schedule | 0CP2          |  |
| GTIN              | 3389110709919 |  |
| Returnability     | Yes           |  |
| Country of origin | CN            |  |

## **Packing Units**

| Unit Type of Package 1       | PCE                 |
|------------------------------|---------------------|
| Number of Units in Package 1 | 1                   |
| Package 1 Height             | 0.394 in (1.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| Package 1 Width              | 8.661 in (22.000 cm)    |
|------------------------------|-------------------------|
| Package 1 Length             | 8.661 in (22.000 cm)    |
| Package 1 Weight             | 3.030 oz (85.900 g)     |
| Unit Type of Package 2       | S02                     |
| Number of Units in Package 2 | 25                      |
| Package 2 Height             | 5.906 in (15.000 cm)    |
| Package 2 Width              | 11.811 in (30.000 cm)   |
| Package 2 Length             | 15.748 in (40.000 cm)   |
| Package 2 Weight             | 5.490 lb(US) (2.490 kg) |

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

| Reach Free Of Svhc         |   |
|----------------------------|---|
| Toxic Heavy Metal Free     |   |
| Mercury Free               |   |
| Rohs Exemption Information | Yes   |
|                            |   |
| Reach Regulation           | REACh Declaration   |
| Eu Rohs Directive          | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration  |
| China Rohs Regulation      | China RoHS declaration  |
| Weee                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.  |
| California Proposition 65  | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |